




ezTOOLS™ | Buffer Tube Midspan Access Tool

Buffer Tube Midspan Access Tool (1.8 to 3.0 mm)





The simplest and most reliable midspan access tool for loose buffer tubes.

Overview

Prysmian's ezACCESS | Buffer Tube Access Tool provides quick and easy access to fibers every time. Designed for midspan entry in buffer tubes to access fibers, this is the one-stop tool for the veteran or the new installer.

Specially designed inserts hold the buffer tube firmly in place where a precision-ground blade "shaves" only the tube wall - providing reliable access without damage to the fiber or coating. An industry study revealed that Prysmian's ezACCESS Buffer Tube Access tool provides the most consistent, safe and reliable access while other tools frequently damaged fibers and / or coatings.

Interchangeable labeled inserts support a wide variety of buffer tubes sizes used for different fiber counts and cable designs. The tool's thick guage steel alloy construction and a hard shell tote case mean years of reliable field use. These interchangeable inserts change in and out within 15 seconds.

Kit Contains

- 1 Buffer Tube Access Tool with Carrying Case
- 3 Inserts (2.5mm / 2.7mm / 3.0mm common sizes)
- Spare parts: 1 spare blade, 1 socket head screw

Product Snapshot

Applications Reliable midspan entry to access fibers

in loose tube cables. Easy change inserts for a variety of manufacturers' tube sizes.

Cable Types Loose Tube, ADSS, Microduct & Specialty

Tool Type One Hand Operation / Shaving Action

Quick Change Inserts / Rugged

Options Kit (1 tool, 3 inserts, accessories) / Inserts

(10) to fit a Variety of Buffer Tube Sizes

Content may be subject to change without notification

Features and Benefits

Reliable Tube Access

- Reliable and repeatable access to fibers without damage
- Lab tested & field proven
- No calibration required
- Rugged and built to last

Simple & Flexible Support of Multiple Size Buffer Tubes

- Multi-purpose tool supports up to 10 insert sizes
- 15 second change out of inserts
- Cleaner midspan access





ezTOOLS™ | Buffer Tube Midspan Access Tool

Buffer Tube Midspan Access Tool (1.8 to 3.0 mm)

Ordering Guide

| Item Description | Part Number |
|---|-------------|
| Tool Kit | 20021562 |
| Includes: | |
| 1 Buffer Tube Access Tool with carrying case | |
| 3 Inserts (2.5mm / 2.7mm / 3.0mm - common sizes) | |
| Spare Parts: 1 spare blade, 1 spare socket head screw | |
| Accessories: 1 fiber spatula, 1 allen wrench | |
| Spare Parts Kit | 20021563 |
| Includes: | |
| 2 blades | |
| 2 socket head screws | |
| 1 fiber spatula | |

Inserts for Draka Products

| Tube Diameter mm | Fibers Per Tube | Draka Cable Description | Part Number (Tool) |
|---------------------|--------------------|--|-----------------------|
| 1.9 | 12 | ezMICROduct™, ezDROP™ Flat (≤ 6 fibers), ezDROP Figure 8 | 20021564 |
| 2.0 | 12 | LT20 | 20022885 |
| *2.5 | 12 | ExpressLT™ Gel & Gel-Free | 20021566 |
| 2.6 | 12 | Loose Tube Indoor-Outdoor (> 36 fibers) ADSS Long Span (2 to 84 fibers) | 20021602 |
| *2.7 | 12 | ezPREP Loose Tube Gel & Gel-Free (discontinued April 2010) | 20030089 |
| *3.0 | 12 | ExtremeLink™ Loose Tube ezSPAN™ ADSS Loose Tube Figure 8 | 20021569 |
| 3.0 | 24 | ADSS Long Span (96-288 fibers, 24 fibers / tube) Loose Tube High Count (> 288 fibers, 24 fibers / tube) | 20021570 |

Other Inserts Available

| Tube Diameter mm | Fibers per Tube | Draka Cable Description | Part Number (Tool) |
|---------------------|-----------------|---|-----------------------|
| 1.8 | 12 | Microduct Cable (reduced diameter - discontinued) | 20022986 |
| 2.2 | 12 | Microduct Cable (custom) | 20023032 |
| 2.4 | 24 | Sewer Cable (specialty) | 20021565 |

^{*}Replacement insets are also available for purchase individually.

© DRAKA & PRYSMIAN - Brands of The Prysmian Group. 2013 All Right Reserved. The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian Group. The information is believed correct at the time of issue. Prysmian Group reserves the right to amend any specifications without notice. These specifications are not contractually valid unless specifically authorized by Prysmian Group. Issued May 2013.

Prysmian Group