

## SAFETY DATA SHEET MultiTask Surface Electronic Cleaner - MultiClean

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1 Identification	
1. Identification	
Product identifier	MultiTaak Surfaan Electropia Cleanar, MultiClear
Product name	MultiTask Surface Electronic Cleaner - MultiClean
Product number	MCC-MLCG, MCC-MLCP, MCC-MLCD, MCC-MLCL, MCC-MLCGL, MCC-MLCGG, MCC - MLC16, MCC - MLCJG, MCC - MLCPP
Synonyms; trade names	MLC - MULTICLEAN SOLVENT
Recommended use of the che	emical and restrictions on use
Application	Cleaning agent.
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the s	safety data sheet
Supplier	MicroCare Corporation 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: +1 860-827-0626 Fax: +1 860-893-1930 techsupport@microcare.com
Emergency telephone numbe	۲ <u>ــــــــــــــــــــــــــــــــــــ</u>
Emergency telephone	CHEMTREC 1-800-424-9300 (within the U.S.) +1 703-741-5970 (from anywhere in the world)
2. Hazard(s) identification	
Classification of the substance	e or mixture
OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2A - H319 STOT SE 3 - H336
Environmental hazards	Not Classified
Label elements	
Hazard symbols	
Signal word	Danger

Hazard statements	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	<ul> <li>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</li> <li>P240 Ground/ bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P261 Avoid breathing vapor/ spray.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P314 Get medical advice/ attention if you feel unwell.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Supplemental label information	Safety data sheet available on request. For use in industrial installations only.
Contains	PROPAN-2-OL

## Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information o	n ingredients
Mixtures	
PROPAN-2-OL	70%
CAS number: 67-63-0	
Classification	
Flam. Liq. 2 - H225	
Eye Irrit. 2A - H319	
STOT SE 3 - H336	
D.I. WATER	30%
CAS number: 7732-18-5	
Classification	
Not Classified	
The full text for all hazard sta	tements is displayed in Section 16.
Composition comments	TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage

(concentration) of composition has been withheld as a trade secret in accordance with

Composition

4. First-aid measures

Description of first aid measures

paragraph (i) of CFR 1900.1200

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin Contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.
Ingestion	No specific symptoms known.
Skin contact	No specific symptoms known.
Eye contact	Irritating to eyes.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapors may be ignited by a spark, a hot surface or an ember. Vapors may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.
	•
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
6. Accidental release measure	IS
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of vapors and spray/mists. Use suitable respiratory protection if ventilation is inadequate.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

Storage precautions	Store away from incompatible materials (see Section 10). Keep away from oxidizing materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Flammable liquid storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
Reference to other sections.	Store away from incompatible materials (see Section 10).
8. Exposure controls/Personal	protection

#### **Control parameters**

#### Occupational exposure limits

## PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m<sup>3</sup> Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m<sup>3</sup> Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m<sup>3</sup>

A4

OSHA = Occupational Safety and Health Administration. ACGIH = American Conference of Governmental Industrial Hygienists. A4 = Not Classifiable as a Human Carcinogen.

#### Exposure controls

### Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use.
9. Physical and chemical prop	perties

Information on basic physical and chemical properties

Appearance	Clear liquid.
Color	Colorless.
Odor	Alcoholic.
Odor threshold	No information available.
рН	No information available.
Melting point	Not applicable.
Initial boiling point and range	82°C/180°F @ 101.3 kPa
Flash point	12°C/54°F Method: Tag closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 2.0 %(V) Upper flammable/explosive limit: 12.7 %(V)
Vapor pressure	5.2 kPa @ 20°C
Vapor density	1.82
Relative density	0.87
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Global Warming Potential (GWP)	
Refractive index	No information available.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 350 g/l.
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidizing agents.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
Materials to avoid	Oxidizing materials. Acids - oxidizing.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxicological eff	fects
Acute toxicity - oral Notes (oral LD₅o)	Based on available data the classification criteria are not met.
	Dased of available data the classification chiena are not met.
Acute toxicity - dermal Notes (dermal LD∞)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.
Target organs	Central nervous system
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.

Aspiration ha		Based or	n available data the classification criteria are not met.
General info	rmation		erity of the symptoms described will vary dependent on the concentration and the f exposure.
Inhalation		-	exposure may cause the following adverse effects: Headache. Nausea, vomiting. nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic
Ingestion		No speci	ific symptoms known.
Skin Contact	t	No speci	ific symptoms known.
Eye contact		Irritating	to eyes.
Route of exposure Ingestion		Ingestior	n Inhalation Skin and/or eye contact
Target Organ	rget Organs Central		nervous system
Toxicologica	l information on in	gredients.	
			PROPAN-2-OL
	Acute toxicity - in	halation	
	Acute toxicity inh (LC₅₀ vapours mg		16,000.0
	ATE inhalation (v mg/l)	apours	16,000.0
	Carcinogenicity		
	IARC carcinogen	icity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	NTP carcinogenie	city	Not listed.
	OSHA Carcinoge	enicity	Not listed.
12. Ecologica	al information		
Ecotoxicity		-	urded as dangerous for the environment. However, large or frequent spills may have us effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Ecological information on ingredients.

## PROPAN-2-OL

Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 9,640 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 5102 mg/l, Daphnia magna
Acute toxicity - aquatic plants	IC₅₀, 72 hours: >2,000 mg/l, Algae

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	No information available.
Ecological information on ingr	edients.
<u></u>	PROPAN-2-OL
<b>-</b>	
Partition coefficie	ent : 0.05
Mobility in soil	No data available.
Mobility	
Other adverse effects Other adverse effects	None known.
13. Disposal considerations Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle
	products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is
	not feasible.
14. Transport information	not feasible.
14. Transport information	not feasible.
·	1993
UN Number	
<u>UN Number</u> UN No. (IMDG)	1993
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO)	1993
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO) UN proper shipping name	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO) <u>UN proper shipping name</u> Proper shipping name (TDG)	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO) <u>UN proper shipping name</u> Proper shipping name (TDG) Proper shipping name (IMDG)	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO) <u>UN proper shipping name</u> Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO)	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
<u>UN Number</u> UN No. (IMDG) UN No. (ICAO) <u>UN proper shipping name</u> Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (DOT)	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
UN Number UN No. (IMDG) UN No. (ICAO) UN proper shipping name Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (DOT) Transport hazard class(es)	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
UN Number UN No. (IMDG) UN No. (ICAO) UN proper shipping name Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (DOT) Transport hazard class(es) DOT hazard class	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII
UN Number UN No. (IMDG) UN No. (ICAO) UN proper shipping name Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (DOT) Transport hazard class(es) DOT hazard class DOT hazard label	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII 3 3
UN Number UN No. (IMDG) UN No. (ICAO) UN proper shipping name Proper shipping name (TDG) Proper shipping name (IMDG) Proper shipping name (ICAO) Proper shipping name (DOT) Transport hazard class(es) DOT hazard class DOT hazard label TDG class	1993 1993 UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, PGII 3 3 3

**Transport labels** 



**DOT transport labels** 



### Packing group

TDG Packing Group	II
IMDG packing group	II
ICAO packing group	II
DOT packing group	II

Environmental hazards

Environmentally Hazardous Substance No.

#### Special precautions for user

EmS F-E, S-D

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.

# CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

### SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

## FDA - Essential Chemical

None of the ingredients are listed or exempt.

## FDA - Precursor Chemical

None of the ingredients are listed or exempt.

### SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

**OSHA Highly Hazardous Chemicals** None of the ingredients are listed or exempt.

## **US State Regulations**

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I) The following ingredients are listed or exempt: *PROPAN-2-OL* 

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances The following ingredients are listed or exempt:

PROPAN-2-OL

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

PROPAN-2-OL

Rhode Island "Right To Know" List The following ingredients are listed or exempt: PROPAN-2-OL

Minnesota "Right To Know" List The following ingredients are listed or exempt: *PROPAN-2-OL* 

**New Jersey "Right To Know" List** The following ingredients are listed or exempt: *PROPAN-2-OL* 

Pennsylvania "Right To Know" List The following ingredients are listed or exempt: PROPAN-2-OL

Inventories Canada - DSL/NDSL DSL

US - TSCA Present.

US - TSCA 12(b) Export Notification Not listed.

16. Other information

Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	<ul> <li>IATA: International air transport association.</li> <li>ICAO: Technical instructions for the safe transport of dangerous goods by air.</li> <li>IMDG: International maritime dangerous goods.</li> <li>CAS: Chemical abstracts service.</li> <li>ATE: Acute toxicity estimate.</li> <li>LC<sub>50</sub>: Lethal concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose).</li> <li>EC<sub>50</sub>: 50% of maximal effective concentration.</li> <li>PBT: Persistent, bioaccumulative and toxic substance.</li> <li>vPvB: Very persistent and very bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Eye Irrit. = Eye irritation STOT SE = Specific target organ toxicity-single exposure
Training advice	Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	6/9/2020
Revision	27
Supersedes date	6/4/2020
SDS No.	BULK - MLC
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.