Non-Conductive Glow Rods

Extreme flexibility and superior strength

With our proprietary luminescent resin, Jameson is the original manufacturer of fiberglass glow rods.

We are proud to present the newly expanded and most comprehensive line of glow rods featuring this technology, along with accessories and all-in-one kits, in the industry.

These non-conductive sectional rods are perfect for drop ceilings, attics, floors, walls and crawl spaces. Their high strength and flexibility handle turns easily without breaking.

Designed for maximum versatility, threaded sections make it possible to customize rod length to any job and a variety of accessories make it easier to handle any wiring situation.

Available in three diameters, all rods feature the same size ferrules so they can be used together in any combination.







Flexibility increases as rod diameter decreases:

- 1/4" for long spans requiring greater rigidity
- 3/16" for short spans or in limited space
- 5/32" for making tight turns


With commonality of ferrule threads, different diameter rods can be used together in any combination for ultimate on-the-job customization.







The 1/4" rod is designed for long spans where rigidity is needed to cover the distance. Minimum Bend Radius: 6" Tensile/Pull Strength: 750-lbs



1/4" Glow Rod Kits	Total Rod Length	Packaged Kit Length	Part Number
Three 6' X 1/4" Rods, Two 3' X 1/4" Rods One Bullet Nose with Eyelet, One Hook	24′	6′	7-36-23T
Six 3' X 1/4" Rods One Bullet Nose with Eyelet, One Hook	18′	3′	7-63T
Three 4' X 1/4" Rods One Bullet Nose with Eyelet, One Hook	12′	4′	7-34T
One 3' X 1/4" Replacement Rod with Male and Female Ferrules	3′	*	7-3
One 6' X 1/4" Replacement Rod with Male and Female Ferrules	6′	*	7-6

* Single rods are shipped with hanging tag	not in clear plastic kit tube
single rous are shipped with hanging tag	j, not in cieur piustic kit tube



The more flexible 3/16" rod is preferred for short runs or where space is more limited. Minimum Bend Radius: 4" Tensile/Pull Strength: 500-lbs

Diameter

3/16" Glow Rod Kits	Total Rod Length	Packaged Kit Length	Part Number
Four 5' X 3/16" Rods One Bullet Nose with Eyelet, One Hook	20′	5′	7S-45T
Seven 18" X 3/16" Rods One Bullet Nose with Eyelet, One Hook	10.5′	18"	7S-718T
One 5' X 3/16" Replacement Rod with Male and Female Ferrules	5′	*	7S-5

^{*} Single rods are shipped with hanging tag, not in clear plastic kit tube



Convenient 18" kit length for toolboxes.

The smallest diameter rod in Jameson's line offers extreme flexibility while maintaining high strength.

Ideal for security and alarm, home theater, CATV and satellite installation.

Minimum Bend Radius: 3.5"

Tensile/Pull Strength: 500-lbs

|--|

Point of Sale Packaging for Easy

Display and Product Visibility

5/32" Glow Rod Kits	Total Rod Length	Packaged Kit Length	Part Number
Three 6' X 5/32" Rods One Bullet Nose with Eyelet, One Hook	18′	6′	7SS-36T
One 6' X 5/32" Rod with Permanently Mounted Bullet Nose with Eyelet On Each End of Rod	6′	*	7SS-6

^{*} Single rods are shipped with hanging tag, not in clear plastic kit tube





Kits include a variety of rod sizes and accessories for more versatility on the job.



Kit	Total Rod Length	Packaged Kit Length	Part Number
Two 1/4" X 5' Rods			
Two 1/4" X 2.5' Rods			
Four 3/16" X 5' Rods	35′	<i>C</i> 1	7-8-IK
Two Bullet Nose with Eyelet		6′	
Two Hooks			
One Whisk			



Kit	Total Rod Length	Packaged Kit Length	Part Number
Six 3/16" X 5' Rods			
One Bullet Nose with Eyelet			
One Hook	30′	6′	7S-65K
One Whisk			
One Ball Chain Bullet Nose			



Two 1/4" X 6' Rods Two 3/16" X 5' Rods One 5/32" X 6' Rod One 5/32" X 6' Rod with Permanently Mounted Bullet Eye On Each End One Hook	Kit	Total Rod Length	Packaged Kit Length	Part Number
One 5/32" X 6' Rod One 5/32" X 6' Rod with 34' 6' 7-8VK Permanently Mounted Bullet Eye On Each End	Two 1/4" X 6' Rods			
One 5/32" X 6' Rod with 34' 6' 7-8VK Permanently Mounted Bullet Eye On Each End	Two 3/16" X 5' Rods			
Permanently Mounted Bullet Eye On Each End	One 5/32" X 6' Rod			
	Permanently Mounted Bullet Eye On Each End	34′	6′	7-8VK



Glow Rod Accessories

Handle any wiring situation





Accessory Kit
Hook
Magnet
Whisk
Ball Chain
Bullet Nose with Ring
Bullet Nose with Eyelet

