

Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC APC simplex, 3 m

CORNING


Part Number:
D14401E31AJ003M

As an Industry leader in optical connectivity products, Corning designs and manufactures the 1F Pushlok™ to SC APC or SC UPC test jumpers with factory-terminated, environmentally sealed and hardened connectors to allow testing of Evolv® Terminals with Pushlok Technology.

Features and Benefits

Flexible connector offerings

Enables direct connection to a variety of optical power meters for in-field testing



Evolv® Test Jumper with Pushlok™ Technology, 1F Pushlok to SC APC simplex, 3 m

Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC APC simplex, 3 m

CORNING

Specifications

General Specifications

Assembly Insertion Loss	0.4 dB
Connector Assembly Type	Pushlok SC APC
Packaging	Individual Pack

Standards

RoHS	Free of hazardous substances according to RoHS 2011/65/EU
------	---

Design

Fiber Count	1
-------------	---

Mechanical Specifications

Cable Length	3 m (9.84 ft)
--------------	---------------

Specifications - Connector A

Insertion Loss, Max.	0.4 dB
Connector Type	Pushlok™
Reflectance	≤ -65 dB

Specifications - Connector B

Insertion Loss, Max.	0.4 dB
Connector Type	SC APC
Reflectance	≤ -65 dB

**Evolv® Test Jumper with Pushlok™
Technology 1F Pushlok to SC APC simplex, 3 m**

CORNING

Ordering Information

Product Number	D14401E31AJ003M
Units per Delivery	1/1

