## Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m




## Part Number: D15801E31AJ003M

As an Industry leader in optical connectivity products, Corning designs and manufactures the 1F Pushlok™ to SC APC or SC UPC test jumpers with factory-terminated, environmentally sealed and hardened connectors to allow testing of Evolv® Terminals with Pushlok Technology.

### **Features and Benefits**

#### Flexible connector offerings

Enables direct connection to a variety of optical power meters for in-field testing



# Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m



## Specifications

General Specifications	
Assembly Insertion Loss	0.4 dB
Connector Assembly Type	Pushlok SC UPC
Packaging	Individual Pack

Standards	
RoHS	Free of hazardous substances according to RoHS 2011/65/EU

Design	
Fiber Count	1

Mechanical Specifications	
Cable Length	3 m (9.84 ft)

Specifications - Connector A	
Insertion Loss, Max.	0.4 dB
Connector Type	Pushlok™
Reflectance	≤ -65 dB

Specifications - Connector B	
Insertion Loss, Max.	0.4 dB
Connector Type	SC UPC
Reflectance	≤ -65 dB

## Evolv® Test Jumper with Pushlok™ Technology 1F Pushlok to SC UPC simplex, 3 m



Ordering Information	
Product Number	D15801E31AJ003M
Units per Delivery	1/1

